

90002096_new - AIR FLOR DEO' ELETTRICO COCKTAIL FRUIT

Safety Data Sheet

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 90002096_new
Product name: AIR FLOR DEO' ELETTRICO COCKTAIL FRUIT

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Deodorante per ambienti .

1.3. Details of the supplier of the safety data sheet

Name: L.C.S. S.P.A
Full address: Strada del Marano, 95
District and Country: 47896 Faetano RSM
Tel.: 0549 873111
Fax: 0549 996452
e-mail address of the competent person responsible for the Safety Data Sheet: luca.tabanelli@lcs.sm

1.4. Emergency telephone number

For urgent inquiries refer to: 0549 873111

2. Hazards identification.

2.1. Classification of the substance or mixture.

The product is classified as hazardous pursuant to the provisions set forth in Directives 67/548/EEC and 1999/45/EC and/or EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of EC Regulation 1907/2006 and subsequent amendments.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Danger Symbols: Xi-N

R phrases: 10-38-43-51/53

The full wording of the Risk (R) and hazard (H) phrases is given in section 16 of the sheet.

2.2. Label elements.

Contiene: Linalool, Hexyl Cinnamal, Amyl Cynnamal.

Hazard labelling pursuant to Directives 67/548/EEC and 1999/45/EC and subsequent amendments and supplements.



R10 FLAMMABLE.
R38 IRRITATING TO SKIN.
R43 MAY CAUSE SENSITISATION BY SKIN CONTACT.
R51/53 TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT.

S 2 KEEP OUT OF THE REACH OF CHILDREN.
S24 AVOID CONTACT WITH SKIN.
S29 DO NOT EMPTY INTO DRAINS.
S37 WEAR SUITABLE GLOVES.
S46 IF SWALLOWED, SEEK MEDICAL ADVICE IMMEDIATELY AND SHOW THIS CONTAINER OR LABEL.
S61 AVOID RELEASE TO THE ENVIRONMENT. REFER TO SPECIAL INSTRUCTIONS/SAFETY DATA SHEETS.

90002096_new - AIR FLOR DEO' ELETTRICO COCKTAIL FRUIT

Contains: (R)-P-MENTHA-1,8-DIENE
Citral / 3,7-Dimetil-2,6-ottadienale (geraniale,nerale)
Citronellol

2.3. Other hazards.

Information not available.

3. Composition/information on ingredients.**3.1. Substances.**

Information not relevant.

3.2. Mixtures.

Contains:

Identification. Conc. %. Classification 67/548/EEC.

Classification 1272/2008 (CLP).

DIPROPYLENE GLYCOL MONOMETHYL ETHER

Substance with a community workplace exposure limit.

CAS. 34590-94-8 24 - 25,5

EC. 252-104-2

INDEX. -

(R)-P-MENTHA-1,8-DIENE

Flam. Liq. 3 H226, Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Acute 1 H400, Aquatic Chronic 1 H410, Note C

CAS. 5989-27-5 15 - 16,5 R10, Xi R38, Xi R43, N R50/53, Note C

EC. 227-813-5

INDEX. 601-029-00-7

LINALOOL

Skin Irrit. 2 H315

CAS. 78-70-6 4 - 4,5 Xi R38

EC. 201-134-4

INDEX. -

3,7-Dimethylocta-1,6-Dien-3-yl Acetate

Aquatic Chronic 2 H411

CAS. 115-95-7 4 - 4,5 N R51/53

EC. 204-116-4

INDEX. -

3-metossi-3-metil butanolo

CAS. 56539-66-3 3 - 3,5 Xi R36

EC. 260-252-4

INDEX. -

Citral / 3,7-Dimetil-2,6-ottadienale (geraniale,nerale)

Skin Irrit. 2 H315, Skin Sens. 1 H317

CAS. 5392-40-5 1 - 1,5 Xi R38, Xi R43

EC. 226-394-6

INDEX. 605-019-00-3

2-(4-Methylcyclohex-3-en-1-yl)Propan-2-ol

Skin Irrit. 2 H315

CAS. 8000-41-7 1 - 1,5 Xi R38

EC. 232-268-1

INDEX. -

Citronellol

Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Chronic 2 H411

CAS. 106-22-9 1 - 1,5 Xi R38, Xi R43, N R51/53

EC. 203-375-0

INDEX. -

Reg. no. 01-2119453995-23-0000/1

4-Undecanolide

Aquatic Chronic 2 H411

CAS. 104-67-6 1 - 1,5 N R51/53

EC. 203-225-4

INDEX. -

Allyl heptanoate

Acute Tox. 4 H312, Acute Tox. 4 H302, Skin Irrit. 2 H315, Aquatic Acute 1 H400, Aquatic Chronic 1 H410

CAS. 142-19-8 0,6 - 0,7 Xn R21/22, Xi R38, N R50/53

EC. -

INDEX. -

Propanoato Verdile

CAS. 17511-60-3 0,6 - 0,7 N R51/53

EC. 241-514-7

INDEX. -

Alfa-pinene

Flam. Liq. 3 H226, Asp. Tox. 1 H304, Skin Sens. 1 H317, Aquatic Acute 1 H400, Aquatic Chronic 4 H413

CAS. 7785-26-4 0,6 - 0,7 R10, Xn R65, Xi R43, N R50/53

EC. 232-077-3

INDEX. -

90002096_new - AIR FLOR DEO' ELETTRICO COCKTAIL FRUIT

4-(2,6,6-TRIMETHYL-1-CYCLOHEXEN-1-YL)-2-BUTEN-2-ONE

CAS. 79-77-6 0,6 - 0,7 N R51/53

Aquatic Chronic 2 H411

EC. 201-224-3

INDEX. -

Dodecanal

CAS. 112-54-9 0,6 - 0,7 Xi R38, N R51/53

Skin Irrit. 2 H315, Aquatic Chronic 2 H411

EC. 203-983-6

INDEX. -

Hexyl 2-Hydroxybenzoate

CAS. 6259-76-3 0,6 - 0,7 Xi R38, N R50/53

Skin Irrit. 2 H315, Aquatic Acute 1 H400, Aquatic Chronic 1 H410

EC. 228-408-6

INDEX. -

2-tert-butylcyclohexyl acetate

CAS. 88-41-5 0,6 - 0,7 N R51/53

Aquatic Chronic 2 H411

EC. -

INDEX. -

Hexyl Acetate

CAS. 142-92-7 0,5 - 0,6 R10, N R51/53

Flam. Liq. 3 H226, Aquatic Chronic 2 H411

EC. 205-572-7

INDEX. -

Alpha.,.alpha.-Dimethylphenethyl butyrate

CAS. 10094-34-5 0,1 - 0,15 N R51/53

Aquatic Chronic 2 H411

EC. -

INDEX. -

3R- (3.alpha.,.3a.beta.,.7.beta.,.8a.alpha.)]-1- (2,3,4,7,8,8a-Hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl) ethan-1-one

CAS. 32388-55-9 0,1 - 0,15 N R50/53

Aquatic Acute 1 H400, Aquatic Chronic 1 H410

EC. -

INDEX. -

Amyl Cinnamal / 2-pentyl-3-phenyl-2-propen-1-al

CAS. 122-40-7 0,1 - 0,15 Xi R43, N R51/53

Skin Sens. 1 H317, Aquatic Chronic 2 H411

EC. 204-541-5

INDEX. -

1,4-dioxacycloheptadecane-5-17-dione

CAS. 105-95-3 0,1 - 0,15 N R51/53

Aquatic Chronic 2 H411

EC. -

INDEX. -

Alcol C8

CAS. 111-87-5 0,1 - 0,15 Xi R36, N R51/53

EC. 203-917-6

INDEX. -

T+ = Very Toxic(T+), T = Toxic(T), Xn = Harmful(Xn), C = Corrosive(C), Xi = Irritant(Xi), O = Oxidizing(O), E = Explosive(E), F+ = Extremely Flammable(F+), F = Highly Flammable(F), N = Dangerous for the Environment(N)

The full wording of the Risk (R) and hazard (H) phrases is given in section 16 of the sheet.

4. First aid measures.**4.1. Description of first aid measures.**

EYES: Irrigate copiously with clean, fresh water for at least 15 minutes. Seek medical advice.

SKIN: Wash immediately with plenty of water. Remove contaminated clothing. If irritation persists, seek medical attention. Wash contaminated clothing before using them again.

INHALATION: Remove to open air. If breathing is irregular, seek medical advice.

INGESTION: Obtain immediate medical attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed.

For symptoms and effects caused by the contained substances see chap. 11.

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

5. Firefighting measures.**5.1. Extinguishing media.**

SUITABLE EXTINGUISHING MEDIA

The extinction equipment should contain carbon dioxide, foam or chemical powders. For product leaks and spills that have not caught fire, nebulised water can be used to dispel flammable fumes and protect the individuals taking part in stemming the leak.

EXTINGUISHING MEDIA WHICH SHALL NOT BE USED FOR SAFETY REASONS

90002096_new - AIR FLOR DEO' ELETTRICO COCKTAIL FRUIT

Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

5.2. Special hazards arising from the substance or mixture.**HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE**

Excess pressure may form in containers exposed to fire at a risk of explosion.

Do not breathe combustion products (carbon oxide, toxic pyrolysis products, etc).

5.3. Advice for firefighters.**GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health.

Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Hardhat with visor, fireproof clothing (fireproof jacket and trousers with ties around arms, legs and waist) work gloves (fireproof, cut proof and antistatic), self-respirator (self-protector).

6. Accidental release measures.**6.1. Personal precautions, protective equipment and emergency procedures.**

Eliminate all sources of ignition (cigarettes, flames, sparks, etc.) from the leakage site. If there are no contraindications, spray solid products with water to prevent the formation of dust. Use breathing equipment if fumes or powders are released into the air. Block the leakage if there is no hazard. Do not handle damaged containers or the leaked product before donning appropriate protective gear. For information on risks for the environmental and health, respiratory tract protection, ventilation and personal protection equipment, see the other sections of this sheet. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions.

The product must not penetrate the sewers, surface water, ground water and neighbouring areas.

6.3. Methods and material for containment and cleaning up.

Use inert absorbent material (sand, vermiculite, diatomaceous earth, Kieselguhr, etc.) to soak up leaked product. Collect the majority of the remaining material and deposit it in containers for disposal. If there are no contraindications, use jets of water to eliminate product residues.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

7. Handling and storage.**7.1. Precautions for safe handling.**

Do not smoke while handling and use.

7.2. Conditions for safe storage, including any incompatibilities.

Store in a well ventilated place, keep far away from sources of heat, bright flames and sparks and other sources of ignition.

7.3. Specific end use(s).

Information not available.

8. Exposure controls/personal protection.**8.1. Control parameters.**

Name	Type	Country	TWA/8h		STEL/15min	
			mg/m3	ppm	mg/m3	ppm
DIPROPYLENE GLYCOL MONOMETHYL ETHER	WEL	UK		50		SKIN
	OEL	IRL		50	100	SKIN
	OEL	EU	308	50		SKIN
	TLV-ACGIH			100	150	SKIN

8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protection equipment, make sure that the workplace is well aired through effective local aspiration. Personal protection equipment must comply with the rules in force indicated below.

HAND PROTECTION

Protect hands with category II (ref. Directive 89/686/EEC and standard EN 374) work gloves, such as those in PVC, neoprene, nitril or equivalent. The following should be considered when choosing work glove material: degradation, breakage times and permeation. Work glove

90002096_new - AIR FLOR DEO' ELETTRICO COCKTAIL FRUIT

resistance to preparations should be checked before use, as it can be unpredictable. Gloves' limit depends on the duration of exposure.

EYE PROTECTION

Wear protective airtight goggles (ref. standard EN 166).

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (ref. Directive 89/686/CEE and standard EN 344). Wash body with soap and water after removing overalls.

RESPIRATORY PROTECTION

If the threshold value (if available) for one or more of the substances present in the preparation for daily exposure in the workplace or to a fraction established by the company's prevention and protection service is exceeded, wear a mask with an B or universal filter, the class (1, 2 or 3) of which must be chosen according to the limit concentration of use (ref. standard EN 141).

The use of respiratory tract protection equipment, such as masks like that indicated above, is necessary to reduce worker exposure in the absence of technical measures. The protection provided by masks is in any case limited.

If the substance in question is odourless or its olfactory threshold is higher than the relative exposure limit and in the event of an emergency, or when exposure levels are unknown or the concentration of oxygen in the workplace is less than 17% volume, wear self-contained, open-circuit compressed air breathing apparatus (ref. standard EN 137) or fresh air hose breathing apparatus for use with full face mask, half mask or mouthpiece (ref. standard EN 138).

An emergency eye washing and shower system must be provided.

9. Physical and chemical properties.**9.1. Information on basic physical and chemical properties.**

Appearance	liquid
Colour	colourless
Odour	characteristic
Odour threshold.	Not available.
pH.	non applicabile
Melting or freezing point.	Not available.
Initial boiling point.	Not available.
Boiling range.	Not available.
Flash point.	> 21 °C.
Evaporation Rate	Not available.
Flammability of solids and gases	Not available.
Lower inflammability limit.	Not available.
Upper inflammability limit.	Not available.
Lower explosive limit.	Not available.
Upper explosive limit.	Not available.
Vapour pressure.	Not available.
Vapour density	Not available.
Specific gravity.	0,930 Kg/l
Solubility	Not available.
Partition coefficient: n-octanol/water	Not available.
Ignition temperature.	Not available.
Decomposition temperature.	Not available.
Viscosity	Not available.
Oxidising properties	Not available.

9.2. Other information.

Information not available.

10. Stability and reactivity.**10.1. Reactivity.**

There are no particular risks of reaction with other substances in normal conditions of use.

DIPROPYLENE GLYCOL MONOMETHYL ETHER: may react with oxidising agents. When heated to decomposition it releases harsh and irritating fumes and vapours.

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

The vapours may also form explosive mixtures with the air.

10.4. Conditions to avoid.

Avoid overheating, electrostatic discharge and all sources of ignition.

10.5. Incompatible materials.

Information not available.

90002096_new - AIR FLOR DEO' ELETTRICO COCKTAIL FRUIT

10.6. Hazardous decomposition products.

In the event of thermal decomposition or fire, vapours potentially dangerous to health may be released.

11. Toxicological information.**11.1. Information on toxicological effects.**

Acute effects: contact with skin may cause: irritation, erythema, edema, dryness and chapped skin. Vapour inhalation may slightly irritate the upper respiratory tract. Ingestion may cause health disorders, including stomach pain and sting, nausea and sickness.

Upon contact with skin, this product causes sensitization (dermatitis). Dermatitis derives from skin irritation on the areas which repeatedly come into contact with the sensitizing agent. Cutaneous lesions may include: erythemas, edemas, papules, vesicles, pustules, scurries, ulcerations and exudative phenomena, whose intensity varies according to illness seriousness and affected areas. Erythemas, edemas and exudative phenomena prevail during the acute phase. Scurfy skin, dryness, ulcerations and skin thickening prevail during the chronic phase.

12. Ecological information.

This product is dangerous for the environment and is toxic for aquatic organisms. In the long term, it may even have negative effects on aquatic environment.

12.1. Toxicity.

(R)-P-MENTHA-1,8-DIENE

LC50 (96h): 35 mg/l/96h *Oncorhynchus mykiss*

EC50 (48h): 69,6 mg/l/48h *Daphnia pulex*

12.2. Persistence and degradability.

Information not available.

12.3. Bioaccumulative potential.

Information not available.

12.4. Mobility in soil.

Information not available.

12.5. Results of PBT and vPvB assessment.

Information not available.

12.6. Other adverse effects.

Information not available.

13. Disposal considerations.**13.1. Waste treatment methods.**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

14. Transport information.

These goods must be transported by vehicles authorized to the carriage of dangerous goods according to the provisions set out in the current edition of the Code of International Carriage of Dangerous Goods by Road (ADR) and in all the applicable national regulations.

These goods must be packed in their original packagings or in packagings made of materials resistant to their content and not reacting dangerously with it. People loading and unloading dangerous goods must be trained on all the risks deriving from these substances and on all actions that must be taken in case of emergency situations.

90002096_new - AIR FLOR DEO' ELETTRICO COCKTAIL FRUIT

Road and rail transport:

ADR/RID Class: 3 UN: 1993
 Packing Group: III
 Label: 3
 Nr. Kemler: 30
 Limited Quantity: 5 L
 Tunnel restriction code: (D/E)
 Proper Shipping Name: FLAMMABLE LIQUID, N.O.S. ((R)-P-MENTHA-1,8-DIENE)
 Special Provision: 640E

**Carriage by sea (shipping):**

IMO Class: 3 UN: 1993
 Packing Group: III
 Label: 3
 EMS: F-E, S-E
 Marine Pollutant: YES
 Proper Shipping Name: FLAMMABLE LIQUID, N.O.S. ((R)-P-MENTHA-1,8-DIENE)

**Transport by air:**

IATA: 3 UN: 1993
 Packing Group: III
 Label: 3
 Cargo:
 Packaging instructions: 366 Maximum quantity: 220 L
 Pass.:
 Packaging instructions: 355 Maximum quantity: 60 L
 Special Instructions: A3
 Proper Shipping Name: FLAMMABLE LIQUID, N.O.S. ((R)-P-MENTHA-1,8-DIENE)

**15. Regulatory information.****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.**

Seveso category. 9ii, 6

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.

Product.

Point. 3 - 40

Substances in Candidate List (Art. 59 REACH).

None.

Substances subject to authorisation (Annex XIV REACH).

None.

Healthcare controls.

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

16. Other information.

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 3 Flammable liquid, category 3
Skin Irrit. 2 Skin irritation, category 2
Skin Sens. 1 Skin sensitization, category 1
Aquatic Acute 1 Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1 Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2 Hazardous to the aquatic environment, chronic toxicity, category 2
Acute Tox. 4 Acute toxicity, category 4
Asp. Tox. 1 Aspiration hazard, category 1

90002096_new - AIR FLOR DEO' ELETTRICO COCKTAIL FRUIT

Aquatic Chronic 4	Hazardous to the aquatic environment, chronic toxicity, category 4
H226	Flammable liquid and vapour.
H312	Harmful in contact with skin.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Text of risk (R) phrases mentioned in section 2-3 of the sheet:

R10	FLAMMABLE.
R21/22	HARMFUL IN CONTACT WITH SKIN AND IF SWALLOWED.
R36	IRRITATING TO EYES.
R38	IRRITATING TO SKIN.
R43	MAY CAUSE SENSITISATION BY SKIN CONTACT.
R50/53	VERY TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT.
R51/53	TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT.
R65	HARMFUL: MAY CAUSE LUNG DAMAGE IF SWALLOWED.

GENERAL BIBLIOGRAPHY

1. Directive 1999/45/EC and following amendments
2. Directive 67/548/EEC and following amendments and adjustments
3. Regulation (EC) 1907/2006 (REACH) of the European Parliament
4. Regulation (EC) 1272/2008 (CLP) of the European Parliament
5. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
6. Regulation (EC) 453/2010 of the European Parliament
7. The Merck Index. - 10th Edition
8. Handling Chemical Safety
9. Niosh - Registry of Toxic Effects of Chemical Substances
10. INRS - Fiche Toxicologique (toxicological sheet)
11. Patty - Industrial Hygiene and Toxicology
12. N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
13. ECHA website

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product .

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Changes to previous review:

The following sections were modified:

02 / 03 / 04 / 09 / 12.